

Altezze di sollevamento / portate
Maximum tip height / lifting capacities
Hauteurs de levage / forces de levage
Hubhöhen / Traglasten

MTK 60



10,3-40 m



7,1x7,35 m



360°



6 t

DIN-ISO




Tabella di portata del braccio
Lifting capacities on main boom
Forces de levage sur flèche
Traglasten am Ausleger

MTK 60



10,3-40 m 7,1x7,35 m 360° 6 t DIN-ISO

m	10,3	14,7	17,0	17,7	23,7	25,9	30,3	32,6	37,0	40,0	m
m	t	t	t	t	t	t	t	t	t	t	m
2,5	60,0										2,5
3,0	55,0										3,0
3,5	51,0	38,0	37,2	34,0							3,5
4,0	47,5	37,2	34,1	32,5							4,0
5,0	40,6	32,0	29,1	27,8	17,6	17,0					5,0
6,0	34,2	27,9	25,3	24,2	17,6	17,0	16,7	15,0			6,0
7,0	28,5	24,7	22,3	21,3	17,6	17,0	16,7	15,0	10,5	8,1	7,0
8,0	21,0	22,0	19,8	18,9	17,6	16,8	15,8	15,0	10,5	8,1	8,0
9,0		18,1	17,8	17,6	16,1	15,1	14,2	13,6	10,0	8,1	9,0
10,0		16,3	16,6	16,6	14,7	13,7	12,9	12,3	9,5	8,1	10,0
12,0		11,6	11,9	12,0	11,4	11,2	10,8	10,2	8,6	7,2	12,0
14,0			9,0	9,1	9,4	8,9	8,7	8,7	7,6	6,4	14,0
16,0					7,5	7,5	6,7	6,9	6,7	5,8	16,0
18,0					6,0	6,1	5,8	5,4	5,6	5,1	18,0
20,0					4,9	5,0	5,1	4,4	4,6	4,5	20,0
22,0						4,2	4,3	3,7	3,9	3,7	22,0
24,0							3,6	3,3	3,3	3,1	24,0
26,0							3,0	3,0	2,7	2,5	26,0
28,0							2,5	2,6	2,2	2,0	28,0
30,0								2,2	1,8	1,7	30,0
32,0									1,5	1,3	32,0
34,0									1,2	1,0	34,0
36,0										0,7	36,0

10,3-40 m 7,1x7,35 m 360° 2 t DIN-ISO







m	10,3	14,7	17,0	17,7	23,7	25,9	30,3	32,6	37,0	40,0	m
m	t	t	t	t	t	t	t	t	t	t	m
2,5	60,0										2,5
3,0	55,0										3,0
3,5	51,0	38,0	37,2	34,0							3,5
4,0	47,4	37,2	34,1	32,5							4,0
5,0	40,1	32,0	29,1	27,8	17,6	17,0					5,0
6,0	32,5	27,9	25,3	24,2	17,6	17,0	16,7	15,0			6,0
7,0	26,2	24,7	22,3	21,3	17,6	17,0	16,7	15,0	10,5	8,1	7,0
8,0	19,3	18,6	18,3	18,3	17,6	16,8	15,8	15,0	10,5	8,1	8,0
9,0		16,1	16,4	16,5	15,9	15,1	14,2	13,6	10,0	8,1	9,0
10,0		13,1	13,4	13,5	12,9	12,6	12,9	12,3	9,5	8,1	10,0
12,0		9,2	9,5	9,5	9,9	10,0	9,1	9,2	8,6	7,2	12,0
14,0			7,0	7,1	7,5	7,5	7,5	6,8	7,0	6,4	14,0
16,0					5,8	5,9	6,0	5,2	5,5	5,4	16,0
18,0					4,6	4,7	4,8	4,6	4,4	4,2	18,0
20,0					3,6	3,7	3,8	3,9	3,5	3,3	20,0
22,0						3,0	3,1	3,2	2,8	2,6	22,0
24,0							2,5	2,6	2,2	2,0	24,0
26,0							2,0	2,1	1,7	1,5	26,0
28,0							1,6	1,7	1,3	1,1	28,0
30,0								1,3	1,0	0,8	30,0
32,0									0,7		32,0







Tabella di portata della prolunga tralicciata
Lifting capacities at the folding jib
Forces de levage a la flèche pliante
Traglasten am Klappspitze







MTK 60



 32,6-37-40 m  8 m  7,1x7,35 m  360°  6 t  DIN-ISO

	32,6 m			37 m			40 m			
	0°	20°	40°	0°	20°	40°	0°	20°	40°	
	t	t	t	t	t	t	t	t	t	
8,0	7,5			6,4						8,0
10,0	7,5	6,5		6,1	5,2		5,2			10,0
12,0	7,5	6,2	4,8	5,8	5,0	4,4	4,9	4,8		12,0
14,0	6,4	5,9	4,6	5,5	4,9	4,3	4,6	4,6	4,0	14,0
16,0	5,8	5,6	4,5	5,2	4,7	4,2	4,4	4,4	3,8	16,0
18,0	5,3	5,3	4,4	4,8	4,4	4,1	4,1	4,1	3,7	18,0
20,0	4,5	4,8	4,3	4,3	4,1	4,0	3,8	3,8	3,5	20,0
22,0	3,6	3,9	4,1	3,7	3,8	3,8	3,5	3,5	3,4	22,0
24,0	3,0	3,2	3,3	3,0	3,2	3,4	3,0	3,2	3,2	24,0
26,0	2,4	2,6	2,7	2,5	2,7	2,8	2,4	2,7	2,8	26,0
28,0	2,0	2,1	2,2	2,0	2,2	2,3	2,0	2,2	2,3	28,0
30,0	1,6	1,7	1,7	1,6	1,8	1,8	1,6	1,8	1,8	30,0
32,0	1,2	1,3		1,3	1,4	1,5	1,3	1,4	1,5	32,0
34,0	0,9	1,0		1,0	1,1		1,0	1,1	1,1	34,0
36,0	0,7	0,7		0,7	0,8		0,7	0,8	0,8	36,0
38,0				0,5	0,6			0,6		38,0

 32,6-37-40 m  14,5 m  7,1x7,35 m  360°  2 t  DIN-ISO

	32,6 m			37 m			40 m			
	0°	20°	40°	0°	20°	40°	0°	20°	40°	
	t	t	t	t	t	t	t	t	t	
8,0	3,9									8,0
10,0	3,7			3,7			3,1			10,0
12,0	3,5	2,6		3,6			3,1			12,0
14,0	3,3	2,5		3,4	2,5		3,1	2,5		14,0
16,0	3,1	2,3	1,8	3,2	2,4		3,1	2,4		16,0
18,0	3,0	2,2	1,7	3,1	2,2	1,7	3,1	2,2	1,7	18,0
20,0	2,9	2,1	1,7	3,0	2,1	1,7	3,0	2,1	1,7	20,0
22,0	2,7	2,0	1,6	2,9	2,0	1,6	2,9	2,0	1,6	22,0
24,0	2,6	1,9	1,6	2,7	2,0	1,6	2,8	2,0	1,6	24,0
26,0	2,4	1,8	1,5	2,6	1,9	1,5	2,6	1,9	1,5	26,0
28,0	2,2	1,8	1,5	2,2	1,8	1,5	2,2	1,8	1,5	28,0
30,0	1,8	1,7	1,5	1,8	1,8	1,5	1,8	1,8	1,5	30,0
32,0	1,5	1,7	1,5	1,5	1,7	1,5	1,5	1,7	1,5	32,0
34,0	1,2	1,4	1,5	1,2	1,4	1,5	1,2	1,4	1,5	34,0
36,0	0,9	1,1	1,2	1,0	1,2	1,3	0,9	1,1	1,3	36,0
38,0	0,7	0,9		0,7	0,9	1,0	0,7	0,9	1,0	38,0
40,0	0,5	0,6		0,5	0,7	0,7	0,5	0,7	0,7	40,0